



DUCTOR


profiles




SECTION VIEW




PROFILE/ m



END CAP



STRAIGHT CONNECTION



MODULE LEDLINE/M



		24V DC									
Color Temperature	2700K		3000K		4000K		RED	AMBER	GREEN	ROYAL BLUE	RGB
	MEDIUM POWER	HIGH POWER	MEDIUM POWER	HIGH POWER	MEDIUM POWER	HIGH POWER	MEDIUM POWER	MEDIUM POWER	MEDIUM POWER	MEDIUM POWER	MEDIUM POWER
Reference	981179	981173	981172	981175	981170	981174	981145	981155	981165	981185	981195
Power	9,6W/ m	14,4W/ m	9,6W/ m	14,4W/ m	9,6W/ m	14,4W/ m	9,6W/ m	9,6W/ m	9,6W/ m	9,6W/ m	14,4W/ m
Lumen output	672 lm/ m	1010 lm/ m	710 lm/ m	1060 lm/ m	740 lm/ m	1100 lm/ m	170 lm/ m	180 lm/ m	400 lm/ m	160 lm/ m	480lm/ m
CRI	92	92	92	92	92	92	n/a	n/a	n/a	n/a	n/a
Max. length 1 powerfeed	5 metres	5 metres	5 metres	5 metres	5 metres	5 metres	5 metres	5 metres	5 metres	5 metres	5 metres
Min. cutting length	50 mm	33 mm	50 mm	33 mm	50 mm	33 mm	50 mm	50 mm	50 mm	50 mm	100 mm


CONVERTER p.632

TROUGH LED POLYCARBONATE DIFFUSER INCLUDED


profiles

DUCTOR


HORIZONTAL INNER CORNER




HORIZONTAL OUTER CORNER




BUILT IN SCENARIO 1




BUILT IN SCENARIO 2




BUILT IN SCENARIO 3




BUILT IN SCENARIO 4




DIFFUSER



VERTICAL CORNER




CONVERTORMODULE 230V



In combination with ledline no extra free space is required

DUCTOR


profiles





DUCTOR

profiles



REQUEST CUSTOMER

INDIRECT PATHLIGHT
TOTAL LENGTH = 6,5m
WARM WHITE (RESIDENTIAL)
AMBIENT LIGHT (SOFT LIGHT)

+ POWERED DIRECT BY MAINS (230V)





ORDERFORM


REFERENCE	DESCRIPTION	PCS / M
981047	DUCTOR PROFILE TEXTURED WHITE	6,5 (3,5 + 1,5 + 1,5)
981179	LEDLINE 2700K MEDIUM POWER	6,5 (3,5 + 1,5 + 1,5)
988900	BUILT IN CONVERTOR 20W	2
988200	HORIZONTAL INNER CORNER 90°	1
980207	HORIZONTAL OUTER CORNER 270°	1

DRAWING

SECTION VIEW



TOP VIEW



LEDLINE MP 2700K 24V 9,6W/m 672lm/m